



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

<i>In re</i> Application of:	§	BEFORE THE EXAMINER:
Waddell <i>et al.</i>	§	Vickey M. Ronesi
Serial No.: 10/633,001	§	Group Art Unit No.: 1714
Filed: August 1, 2003	§	Attorney Docket No.: 2003B079
For: Elastomeric Composition	§	Confirmation No.: 8961
Customer No.: 23455	§	July 17, 2007

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

DECLARATION OF DR. WALTER H. WADDELL UNDER 37 CFR § 1.132

Dear Sir:

I, Walter H. Waddell, hereby declare that:

1. I am a citizen of the United States of America and a resident of the City of Pasadena, TX. I am one of the inventors of the subject matter described and claimed in the above-identified patent application, and also in the cited reference WO 02/48257 (Dias).
2. I was awarded a Ph.D. degree in chemistry from the University of Houston in May of 1973. I have thirty-five years research and development experience, including as Associate Professor of Chemistry at Carnegie-Mellon University, and Adjunct Professor of Chemical Engineering and Materials Science at The University of Oklahoma, and industry research positions at The Goodyear Tire & Rubber Company, PPG Industries, and ExxonMobil Chemical Co. A copy of my curriculum vitae is attached as Exhibit 1, listing some of my patents and awards, research grants, theses supervised, publications authored, and presentations through 2001.

3. Since May of 1996 I have been continuously employed as a Senior Staff Chemist, Applications Technical Development Manager and Senior Research Associate, by ExxonMobil Chemical Co. conducting research and development work concerning butyl polymers. During this time, I have specifically worked on developing an elastomeric composition comprising isobutylene elastomer, carbon black and polybutene oil described and claimed in the above-identified patent application.
4. Under my supervision and control, I provided the data showing the formulations and properties for compositions 1-26 disclosed in Tables 6-14.
5. The data were used with off-the-shelf JMP® statistical modeling software commercially available from the SAS Institute to map the effects of various types and amounts of carbon black and types and amounts of polybutene oil, and amounts of naphthenic oil, on the processing characteristics and end use properties of a bromobutyl rubber formulation. The standard formulation reported as composition 1 based on 60 phr N660 carbon black as shown in Dias was used as the model composition for this study.
6. A four variable standard rotatable central composite design was selected, and the compound test data for compositions 8-22 appearing in Tables 9-12 of the patent application are shown in the attached table of Exhibit 2 which is captioned N660 Regal 85 017200305. In addition to control runs without any Regal 85/Parapol 1300 (N660/Calsol 810 only) and without any N660/Calsol 810 (Regal 85/Parapol 1300 only), the independent variables and ranges were as follows:

Component	Lower limit, phr	Upper limit, phr
N660 carbon black	20	60
Regal 85 carbon black	40	120
Calsol 810 oil	2	14
Parapol 1300 polybutene	2	14

This four-factor central composite fractional factorial design uses 13 runs or compounds (including 2 duplicate controls) and is nearly as reliable as a full factorial design which may require up to 30 or 40 runs, or more, where each run is laborious and time consuming. The application of such a “design space” approach is standard practice in the art to reduce the quantity of data otherwise required by a full factorial approach.

7. Regression equations were calculated by the JMP® software for the data tabulated in Exhibit 2 using a fit model based on the primary terms only, according to the equation:

$$\text{Dependent Variable} = aW + bX + cY + dZ + \text{constant} \quad (1)$$

where the terms W, X, Y and Z represent the four independent variables (centered by mean, scaled by range/2) and the coefficients “a” to “d” represent a respective measure of their significance in determining the dependent variable response according to a linear formulation. The JMP output shown in Exhibit 3 indicate that the RSquare values for this model fit are 0.958 for permeability and 0.704 for Mooney Viscosity at 100°C (“MV”), suggesting that the model is qualitative only, especially for MV. The Scaled Estimates (p.1 of Exhibit 3) for permeability are Regal 85 < N660 < 0 < Parapol 1300 < Calsol 810; and for MV are Regal 85 < N660 < 0 < Parapol 1300 < Calsol 810. The trends shown in the Prediction Profiler section of the output (p. 2 of Exhibit 3) indicate that, at the midrange proportions, in general, N660 increases MV and decreases permeability; Regal 85 sharply reduces permeability and sharply increases MV; Calsol 810 sharply increases permeability and has little effect on MV; and Parapol 1300 increases permeability and sharply decreases MV.

8. For a better model, regression equations were calculated by the JMP® software for the data tabulated in Exhibit 2 using a fit model based on both the primary and first order interactive terms according to the equation:

$$\begin{aligned} \text{Dependent Variable} = & aW + bX + cWX + dY + eWY + fXY + gZ + hWZ \\ & + iXZ + jYZ + Z + \text{constant} \quad (2) \end{aligned}$$

where the terms W, X, Y and Z represent the four independent variables (centered by mean, scaled by range/2) and the coefficients “a” to “j” represent a respective measure of their significance in determining the dependent variable response according to a linear formulation. This model allows identification of any potential material interactions.

9. The JMP output shown in Exhibit 4 (for the same Exhibit 2 data table) indicate that the RSquare values for the interactive model fit are 0.9789 for permeability and 0.994 for Mooney Viscosity at 100°C (“MV”), indicating that the model of Exhibit 4 is more quantitative than the qualitative model of Exhibit 3, especially for MV. The trends shown

in the Prediction Profiler section of the output (p. 2 of Exhibit 4) are similar to those of Exhibit 3 except that the effect of N660 on permeability is nearly flat. The coefficients of the interactive terms for the permeability shown in the corresponding Scaled Estimates section are not substantial (the Exhibit 3 model based on the primary terms only already has a comparable RSquare value). On the other hand, for the MV the interactive term coefficients are substantially greater magnitude for Regal 85-Parapol 1300 (-20.7) than for any of N660-Parapol 1300 (-13.9), N660-Calsol 810 (-5.3) or Regal 85-Calsol 810 (-2.96). These results show the pronounced interactive effect of Parapol 1300 and Regal 85 relative to any interaction with N660 and/or Calsol 810.

10. The JMP® software is convenient to show predicted changes in the dependent variables by adjusting the independent variables by clicking on and dragging the dashed line representing the phr of each ingredient over the scale of the model in the Predictor Profiler section at the end of page 2 of Exhibits 3 and 4. In Exhibits 3 and 4, the phr is centered at the midrange of the scale of the model. By selecting the phr for each component, the Predictor Profiler will automatically calculate the estimated MV and permeability, read at the left side of the graphs. For example, for the midrange phr of N660 (37.3333 phr), Regal 85 (74.667 phr), Calsol 810 (6.9333 phr) and Parapol 1300 (6.9333 phr), in Exhibit 3 the permeability is predicted at 24.439 and the MV at 54.86. In the more reliable Exhibit 4 model, the midrange-component permeability is again predicted at 24.439, whereas the MV is predicted at 54.86.
11. It is also possible to use the JMP® software to set the desired parameters for MV and permeability and have the software calculate the proportions of ingredients to approximate the desired result. For example, in the Prediction Profiler section of the JMP® software output seen in Exhibit 5 (based on the same data table in Exhibit 2), the desirability functions are entered in the right-hand column of graphs. These were entered by mouse and establish low permeability (top curve) and moderate MV (middle curve) as the desired characteristics. The software then calculated the proportions of ingredients to obtain these properties as 0 phr N660, 120 phr Regal 85, 0 phr Calsol 810, and 11.06 phr Parapol 1300, as shown on the bottom of the graphs. The predicted permeability is low at 13.9 and the MV is 61.5 (the setting of the desirability parameter in this example).

12. In the Prediction Profiler of Exhibit 6, the Exhibit 5 model is adjusted to set the proportions of N660 at 60 phr, Regal 85 at 0 phr, Calsol 810 at 0 phr, and Parapol 1300 at 8 phr. In this example, the permeability is estimated at 21, which is better than the 27.47-28.19 for Rows 10 and 11 shown in the table of Exhibit 2 for the 60 phr N660-8 phr Calsol 810 composition. However, the predicted MV in the N660-Parapol 1300 blends of Exhibit 6 is 68.4, which is too high for commercial processing, compared to the 57.6-57.9 for the N660-Calsol 810 blends of Rows 10-11 in Exhibit 2. The Exhibit 6 results indicate that increasing the N660 beyond 60 phr might result in a slightly lower permeability (top-row, left-column graph in the Prediction Profiler), but would result in an even less processable composition with a higher MV (middle-row, left-column graph in the Prediction Profiler).
13. Similarly, in Exhibit 7, the Exhibit 6 model is adjusted for 60 phr N660 and 14 phr Parapol 1300, but the MV is still higher than the N660-Calsol 810 controls. Again, the Prediction Profiler (middle-row, left-column graph) indicates that additional N660 would further exacerbate processability by further increasing the 100°C Mooney viscosity. This is consistent with the data for Compositions 1 and 2 in Tables 5 and 6 of the patent application, which explore the effect of N660 black when this is increased from 60 phr to 93.4 with 8 phr Calsol. Increasing the N660 in Composition 2 unacceptably increased the Mooney viscosity and the Shore A Hardness, making the composition too thick for processing and too brittle for use as a tire innerliner. It does not appear possible to increase N660 greater than 60 phr to reduce permeability while at the same time keeping the MV and hardness at suitable levels, even with the addition of oil (Calsol or Parapol).
14. In Exhibit 8, the Exhibit 5 model is adjusted to set the proportions of N660 at 0 phr, Regal 85 at 100 phr, and Parapol 1300 at 8 phr. A low permeability (20.2) is predicted, and the MV matches the N660-Calsol 810 controls (54.3). The Prediction Profiler shows (e.g. by setting the N660 at higher amounts using the mouse) that additional N660 can be added with additional Parapol 13 used to offset the higher MV from the N660 with only marginal changes in permeability. Similar results are expected for additional Regal 85. Thus, because the midrange quantity of Parapol 1300 is used in the model with 100 phr Regal 85, an upper limit of 200 phr for the total amount of carbon black (N660 plus Regal

85) can be estimated for the upper level of Parapol 1300 used in this model – in other words, increases in MV from additional carbon black could still be offset by more Parapol 1300 up to about 200 phr carbon black and 14 phr Parapol 1300.

15. The statistical modeling of Exhibits 2-8 is simplified for the purpose of illustration to 2 dependent variables, permeability and Mooney viscosity. However, other dependent variables must also be considered, such as cure times and physical properties of the cured blend, e.g. scorch values, hardness, etc.
16. In the patent application, compositions 21 and 22 reported in Tables 11 and 12 have processing characteristics and physical properties nearly identical to Compositions 8 and 9, and yet the permeability is much lower. This was not a chance result, because the proportions of ingredients were selected based on the data in Tables 9 and 10 using conventional statistical modeling.
17. I hereby declare that all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true, and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application of any patent issuing thereon.

Date July 17, 2007

Walter H. Waddell
Walter H. Waddell



EXHIBIT 1

WALTER H. WADDELL

4923 Orange Tree Drive
Pasadena, TX 77505
Phone: (281) 998-1811

SUMMARY

Thirty years Research & Development experience using state-of-the-science instrumentation and laboratory procedures to solve applied technical problems and answer scientific questions. Established independent laboratory for fundamental research through external funding as **Associate Professor of Chemistry, Carnegie-Mellon University**. Successfully directed the research efforts of five doctoral and eight masters degree students, and five postdoctoral research associates. Seven years of experience, including five years of progressive management experience, in three departments as **Section Head, Research at The Goodyear Tire & Rubber Company**. Directed various programs focused on problem solving in the areas of tire materials and components, textile tire cord adhesion, fabric processing, and tire manufacturing. Directed R&D group as **Senior Scientist, Silica R&D at PPG Industries**. Developed new applications using precipitated silica in tires and in engineered rubber products, commercialization of new silica products, and improved manufacturing. Co-directed research to surface modify silica to enhance compatibility with polymers as **Adjunct Professor of Chemical Engineering and Materials Science at The University of Oklahoma**. Used statistical design of experiments and analysis of variance to develop polymers to optimize non-staining tire black sidewall and winter tire tread compound with improved snow and wet traction performance as **Applications Technical Development Manager at ExxonMobil Chemical**. Currently, **Senior Research Associate at ExxonMobil Chemical** researching the importance of inflation pressure retention on tire performance, aging and durability.

General accomplishments include selected as a Distinguished Corporate Inventor (1995), recipient of the American Chemical Society, Rubber Divisions' Melvin Mooney Distinguished Technology Award (2003), the Sparks-Thomas Award for outstanding contributions by a young investigator in the field of elastomer chemistry (1993), the Distinguished Service Award (2005), four Best Paper Awards (1994, 1995, 1995, 2000) and five Best Symposium Awards (1994, 1997, 2002, 2004, 2005), recipient of a National Institutes of Health Research Fellowship (1975), being awarded fourteen research grants by foundations and agencies such as the American Chemical Society, National Science Foundation and the National Institute of Health, authoring over one hundred twenty-five publications in scientific journals and in books, presenting over ninety seminars at universities and at scientific meetings, and being an inventor leading to twenty-five patents and five trade secrets.

EDUCATION

RESEARCH ASSOCIATE, Chemistry, *Columbia University*, New York, NY, 9/73 - 8/75
DOCTOR OF PHILOSOPHY IN CHEMISTRY, *University of Houston*, Houston, TX, 5/73
BACHELOR OF SCIENCE IN CHEMISTRY, *University of Illinois*, Chicago, IL, 6/69

EXPERIENCE

ExxonMobil Chemical, Co., Baytown, TX

7/04 – Present **SENIOR RESEARCH ASSOCIATE**, Butyl Polymers Technology
4/00 – 6/04 **APPLICATIONS TECHNICAL DEVELOPMENT MANAGER**
5/96 - 3/00 **SENIOR STAFF CHEMIST**, Butyl Polymers Technology

Managed technical service group of fourteen developing applications for isobutylene-based elastomers. Optimized non-staining tire black sidewall performance through polymer selection, and developed tread compound formulations with improved winter-traction properties using Exxpro™ elastomers. Employed design of experiments and analysis of variance (DOE, ANOVA), surface and near surface characterization techniques (AFM, TEM, Raman) to map polymer blend morphology and filler distribution.

PPG Industries, Inc., Pittsburgh, PA

6/94 - 4/96 **SENIOR SCIENTIST**, Elastomer Applications, Silica R&D
5/90 - 5/94 **SCIENTIST**, Elastomer Applications, Silica R&D

Directed research/technical service group of sixteen exploring uses of silicas in rubber, developed surface-modified silicas via joint industrial/university research program, studied fundamentals of silica-polymer interactions and coupling reactions, and merged research and development concepts with customer product goals to establish new applications.

The Goodyear Tire & Rubber Company, Akron, OH

11/89 - 5/90 **SECTION HEAD**, Polymer Chemistry
2/87 - 11/89 **SECTION HEAD**, Fabric Adhesive & Process Science
2/86 - 1/87 **SECTION HEAD**, Adhesion & Surface Science
6/83 - 1/86 **SENIOR RESEARCH CHEMIST**, Tire Compound Chemistry

Managed twenty-two studying structure/property relationships of tire materials, and solving manufacturing problems. Developed predictive tests of cord/compound adhesion, formulated textile adhesives, approved material specifications, streamlined mill processing of tire cords, modified rubber compound surfaces to improve performance, tailored processing equipment surfaces and developed non-fuming additives to improve tire compound physical properties. Defined mechanisms of tire surface ozone aging, reinforcement by in-situ reaction of phenolic resins and silane-silica coupling agents. Explored surface reactions of polymers and metals. Identified non-destructive characterization methods.

Carnegie-Mellon University, Pittsburgh, PA

6/83 - 5/86 **ADJUNCT ASSOCIATE PROFESSOR**, Chemistry
9/79 - 6/83 **ASSOCIATE PROFESSOR**, Chemistry
9/75 - 8/79 **ASSISTANT PROFESSOR**, Chemistry

Established research programs studying interactions of UV-visible radiation with reactive organic species (aryl azides, oxygen radicals) and biologically important molecules (visual protein rhodopsin, Vitamin A derivatives) using photochemical, laser spectroscopic, synthetic, cryogenic and chromatographic methods. Trained five postdoctoral associates, and five Ph.D. and eight M.S. graduate students.

PATENTS & AWARDS

1. Application of Laser Desorption Mass Spectroscopy to Characterize Rubber Surfaces, Walter H. Waddell, *Goodyear Trade Secret Award*, September, 1984
2. Enhanced Adhesion of Rubber to Reinforcing Materials Through the Use of Phenolic Esters, David A. Benko, Syed K. Mowdood, Paul H. Sandstrom, Walter H. Waddell, and Lawson G. Wideman, *United States Patent* 4,605,696, August, 1986
3. Reflecting Tire Inner Surface Coating for Post-Cure Tire Analysis, George P. Patitsas, Syed K. Mowdood, Walter H. Waddell, Roop S. Bhakuni and Sharon P. Carmickle, *Goodyear Trade Secret Award*, April, 1988
4. Lubricant and Use Thereof for Curing Tires, Syed K. Mowdood, George P. Patitsas and Walter H. Waddell, *United States Patent* 4,780,225, October, 1988
5. Improved Epoxy Resin for Polyester/Rubber Composite Adhesion, James G. Gillick, Jimmy L. Richards, Derek Shuttleworth and Walter H. Waddell, *Goodyear Trade Secret Award*, March, 1989
6. Process for the Surface Modification of Unsaturated Rubber by Photochemical Modification with Alkyl Halides, James G. Gillick and Walter H. Waddell, *United States Patent* 4,824,692, April, 1989
7. Improved Textile Tire Cord Adhesives Using Reactive Hardeners, James G. Gillick, Jerry L. Brenner, Larry R. Evans, George P. Patitsas, Charles B. Reilly and Walter H. Waddell, *Goodyear Trade Secret Award*, May, 1989
8. Rubber Containing Microencapsulated Antidegradants, David A. Benko, Larry R. Evans, James G. Gillick, Walter H. Waddell, Barbara A. Metz, Benjamin F. Benton, Gordon E. Pickett, and Gordon R. Krumm, *United States Patent* 4,895,884, January, 1990
9. Concepts for Reduced Tire Weight: Selective Compounding of Tire Innerliner, Daniel F. Klemmensen and Walter H. Waddell, *Goodyear Trade Secret Award*, September, 1990
10. Rubber Containing Matrix-Antidegradants, Larry R. Evans, Walter H. Waddell, Frank W. Harris and David A. Benko, *United States Patent* 5,023,287, June, 1991
11. Process for the Surface Treatment of Polymers for Reinforcement-to-Rubber Adhesion, Derek Shuttleworth, Syed K. Mowdood, Walter H. Waddell, Jerry L. Brenner and Eilert A. Ofstead, *United States Patent* 5,053,246, October, 1991
12. Surface Treating Aluminum Moulds to Improve Release Properties, Cecil Bennett, Derek Shuttleworth and Walter H. Waddell, *European Patent* 374,080, March, 1993
13. Metal Oxide Deactivation of Natural Rubber Fatty Acids, David A. Benko, Frederick L. Magnus, Zalman Ronen, Robert W. Strozier and Walter H. Waddell, *United States Patent* 5,254,616, October, 1993

14. Process for the Surface Treatment of Polymers for Reinforcement-to-Rubber Adhesion, Jerry L. Brenner, Syed K. Mowdood, Eilert A. Ofstead, Derek Shuttleworth and Walter H. Waddell, *United States Patent* 5,283,119, February, 1994
15. Particulate Amorphous Precipitated Silica, James T. Dew, Larry R. Evans and Walter H. Waddell, *United States Patent* 5,353,999, October 1994
16. Particulate Amorphous Silica Associated with Thin Polymeric Film, Walter H. Waddell, Larry R. Evans, Jeffrey H. Harwell and John H. O'Haver, *United States Patent* 5,426,136, June, 1995
17. Tire Tread Composition Comprising Highly Reinforcing Reinforced Amorphous Precipitated Silica, Larry R. Evans, Walter H. Waddell and Thomas G. Krivak, *United States Patent* 5,605,950, February, 1997
18. Tire Tread Composition Comprising Highly Reinforcing Reinforced Amorphous Precipitated Silica, Walter H. Waddell, Larry R. Evans and Thomas G. Krivak, *United States Patent* 5,610,221, March, 1997
20. Amorphous Precipitated Silica Having Large Liquid Carrying Capacity, James T. Dew, Larry R. Evans, Diana L. Scott and Walter H. Waddell, *United States Patent* 5,906,843, May, 1999
21. Transparent and Colorable Elastomeric Compositions, Walter H. Waddell, Robert R. Poulter, Kenneth O. McElrath and John E. Rogers, *United States Patent* 6,624,220, September 23, 2003
22. Transparent and Colorable Elastomeric Compositions, Walter H. Waddell, Robert R. Poulter, Kenneth O. McElrath and John E. Rogers, *United States Patent* 6,624,235, September 23, 2003
23. Abrasion Resistant Transparent and Colorable Elastomeric Compositions, Walter H. Waddell and Robert R. Poulter, *United States Patent* 6,710,116, March 23, 2004
24. Colorable Elastomeric Compositions, Walter H. Waddell and Robert R. Poulter, *United States Patent* 6,939,921, September 6, 2005
25. Elastomeric Composition, Walter H. Waddell, Glenn E. Jones, Ilan Duvdevani, *United States Patent application* 2004/0030036
26. Colorable Elastomeric Compositions, Walter H. Waddell and Robert R. Poulter, *United States Patent application* 2004/0044118
27. High Traction and Wear Resistant Elastomeric Compositions, Walter H. Waddell and Robert R. Poulter, *United States Patent application* 2004/0063859
28. Elastomeric Composition, Glenn E. Jones, Donald S. Tracey, Walter H. Waddell, *United States Patent application* 2004/0087704

29. Elastomeric Blend for Air Barriers Comprising Low Glass Transition Temperature Hydrocarbon Resins, Glenn E. Jones, Mun Fu Tse, Hsien-Chang Wang, Kenneth Lewtas, William M.-T. Chien, Walter H. Waddell, *United States Patent application 2004/0092648*
30. Elastomeric Composition, Anthony J. Dias, Glenn E. Jones, Donald S. Tracey, Walter H. Waddell, *United States Patent application 2004/0132894*
31. Elastomeric Composition, Walter H. Waddell, David Y.-L. Chung, *United States Patent application 2004/0242731*
32. Elastomeric Composition, Walter H. Waddell, David Y.-L. Chung, *United States Patent application 2004/0242795*
33. Halogenated Isoolefin Based Terpolymers, Walter H. Waddell, David Y.-L. Chung, *United States Patent application 2004/0249085*
34. Elastomeric Composition, Walter H. Waddell, Donald S. Tracey, and Glenn E. Jones, *United States Patent application 2005/0027062*
35. Abrasion Resistant Elastomeric Compositions, Walter H. Waddell and Robert R. Poulter, *United States Patent application 2005/0085594*
36. Colorable Elastomeric Compositions, Walter H. Waddell and Robert R. Poulter, *United States Patent States Patent application 2005/0137339*
37. Elastomeric Blend for Air Barriers Comprising Grafted Resin Components, Glenn E. Jones, Mun Fu Tse, Hsien-Chang Wang, Kenneth Lewtas, William M.-T. Chien, Walter H. Waddell, *United States Patent application 2005/0197442*
38. Elastomeric Blend for Air Barriers, Glenn E. Jones, Alan G. Galuska, Walter H. Waddell, *United States Patent States Patent application 2005/0222335*
39. Innerliners for Use in Tires, Walter H. Waddell, Donald S. Tracey, Stuart W. Botfeld, Dirk F. Rouckhout, *United States Patent application 2006/0167184*

RESEARCH GRANTS

1. Spectroscopic Investigation of Retinal Analogs, Research Fellowship Award, *National Eye Institute, National Institutes of Health*, \$14,500, 9/75-8/76
2. Photochemistry of Visual Pigments, *National Society for the Prevention of Blindness*, \$9,000, 2/76-5/78
3. Spectral and Photochemical Investigation of Visual Pigments, *Pennsylvania Lions Sight Conservation and Eye Research Foundation*, \$25,100, 5/76-9/82
4. Photochemical Investigation of Visual Pigments, *Health Research and Services Foundation*, \$17,358, 7/76-8/78
5. ^{13}C -NMR Analysis of the Sensitized Photo-oxidations of Polymers, *American Chemical Society, Petroleum Research Fund*, \$10,000, 9/76-8/79
6. Protein Chromophore Interactions in Visual Pigments, *National Eye Institute, National Institutes of Health*, \$119,963, 2/77-1/80
7. Photochemistry of Rhodopsin and 11-cis-Retinal, *National Eye Institute, National Institutes of Health*, \$28,235, 4/77-3/80
8. Superoxide Radicals and Biochemical Hydroxylations, *Health Research and Services Foundation*, \$18,000, 1/78-12/79
9. Photoactivated Polymeric Adhesives, *National Science Foundation, Materials Research Laboratory Grant to Carnegie-Mellon University*, \$93,513, 7/78-6/81
10. Purchase of a UV-Visible Spectrometer, *National Science Foundation*, \$20,000, 8/79-1/81
11. Superoxide Radicals and Biochemical Hydroxylations, *National Institutes of Neurological and Communicative Disorder and Stroke, National Institutes of Health*, \$149,827, 12/79-11/82
12. Dopamine-beta-Hydroxylase and the Superoxide Radical, *Western Pennsylvania Heart Association*, \$7,500, 7/80-6/81
13. Photochemistry of Linear Polyenes Related to the Visual Chromophore, *American Chemistry Society, Petroleum Research Fund*, \$30,500, 9/80-8/82
14. Spectroscopic Analysis of Laser Activated Bond Formation in Polymeric Adhesives, *National Science Foundation, Materials Research Laboratory Grant to Carnegie-Mellon University*, \$71,580, 7/81-6/83

THESES SUPERVISED

1. The trans-->cis Photoisomerization of all-trans-Retinal and Some Synthetic Analogs, Daniel Lee Hopkins, *Master of Science*, 1978
2. Synthesis and Photochemistry of Some Platinum (II)-Alkoxy carbonyl Complexes, Conrad Frank Shiba, *Doctor of Philosophy*, 1979
3. Influence of Alkyl Substitution on the trans-->cis Photoisomerization of all-trans-Retinal and Related Polyenes, John Lawton West, *Master of Science*, 1979
4. The Influence of Methyl Substitution on the Photochemistry of Retinal, John Lawton West, *Doctor of Philosophy*, 1980
5. Qualitative Studies of the Low Temperature Photochemistry of Rhodopsin and Related Pigments, Juliette Lecomte, *Master of Science*, 1980
6. The Photoinitiated Decomposition of Phenyl Azide and Its Derivatives. Evidence for a Chain Reaction, Celia H Lee Go, *Doctor of Philosophy*, 1982
7. A Time-Resolved Assay of Dopamine-beta-Hydroxylase Activity Utilizing High-Pressure Liquid Chromatography, Natalie Barbara Feilchenfeld, *Master of Science*, 1982
8. Reactive Species Produced by the 5-Methylphenazinium Methylsulfate/Reduced beta-Nicotinamide Adenine Dinucleotide/O₂ System in the Hydroxylation of Benzoic Acid, Rachel Ellen Lewis, *Master of Science*, 1982
9. Synthesis and Solution Photochemistry of all-trans-1,1,2-Trideuterio-octatetraene, Roseann Frances McDaniel, *Master of Science*, 1983
10. Pulsed-Laser and Cryogenic Spectroscopic Investigations of Intermediates Formed in the Photo-initiated Autocatalytic Chain Decomposition (PACD) Reaction of Phenyl Azide and Phenyl Isocyanate, Natalie Barbara Feilchenfeld, *Doctor of Philosophy*, 1983
11. The trans-->cis Photoisomerization of Protonated Retinyl Schiff Bases, Jean Marie Donahue, *Master of Science*, 1984
12. Kinetic Analysis of the Photoinitiated Autocatalytic Chain Decomposition of Phenyl Azide. A Molecular Explosion in Solution, Joseph Pascaul Costantino, *Master of Science*, 1984
13. Synthesis and Photochemistry of Reactive Organic Compounds: Part I - Octatetraene and Its Deuterated Analogue. Part II - Phenyl Azide and Its Substituted Derivatives, Roseann Frances McDaniel, *Doctor of Philosophy*, 1986

PUBLICATIONS

1. The Hydrogen-Bonded (Protonated) Schiff Base of all-trans-Retinal, Walter H. Waddell and Ralph S. Becker, *Journal of the American Chemical Society*, **93**, 3788-3789 (1971)
2. Spectroscopy and Photochemistry of Rhodopsin Models: Retinals, Retinal Schiff Bases and Protonated Retinal Schiff Bases, Walter H. Waddell, *Dissertation Abstracts Int B*, **34 (4)**, 1437 (1973)
3. Visual Pigments III. Determination and Interpretation of the Fluorescence Quantum Yields of Retinals, Schiff Bases and Protonated Schiff Bases, Walter H. Waddell, Arnold M. Schaffer and Ralph S. Becker, *Journal of the American Chemical Society*, **95**, 8223-8227 (1973)
4. Visual Pigments IV. Experimental and Theoretical Investigations of the Absorption Spectra of Retinal Schiff Bases and Retinals, Arnold M. Schaffer, Walter H. Waddell and Ralph S. Becker, *Journal of the American Chemical Society*, **96**, 2063-2068 (1974)
5. Relative Emission Efficiencies of Deuterated Benzenes, Walter H. Waddell, Carl A. Renner and Nicholas J. Turro, *Molecular Photochemistry*, **6**, 321-324 (1974)
6. Quantum Chain Processes. Direct Observation of High Quantum Yields in the Direct and Photosensitized Excitation of Tetramethyl-1,2-Dioxetane, Nicholas J. Turro and Walter H. Waddell, *Tetrahedron Letters*, **25**, 2069-2072 (1975)
7. Energy Storage and Release. Direct and Sensitized Photoreactions of Benzvalene. Evidence for a Quantum Chain Process, an Adiabatic Photorearrangement, a Degenerate Photovalence Isomerization and Two Reactive Triplet States, Carl A. Renner, Thomas J. Katz, Joseph Pouliquen, Nicholas J. Turro and Walter H. Waddell, *Journal of the American Chemical Society*, **97**, 2568-2570 (1975)
8. Photoluminescence of Bicyclo(2.2.1)Heptan-2-one (Norcamphor) and Related Molecules, Walter H. Waddell, Nicholas J. Turro and George Farrington, *Molecular Photochemistry*, **7**, 475-497 (1976)
9. Micellar Effects on the Photochemistry of Rhodopsin, Walter H. Waddell, Anthony P. Yudd and Koji Nakanishi, *Journal of the American Chemical Society*, **98**, 238-239 (1976)
10. Quantitative Aspects of the Photochemistry of Isomeric Retinals and Visual Pigments, Walter H. Waddell, Rosalie Crouch, Koji Nakanishi and Nicholas J. Turro, *Journal of the American Chemical Society*, **98**, 4189-4192 (1976)
11. Thermolysis and Photochemistry of Cyclic Azo Compounds. A Novel Chemiluminescent Reaction and Alternate Route to Dewar Benzene, Nicholas J. Turro, Carl A. Renner, Walter H. Waddell and Thomas J. Katz, *Journal of the American Chemical Society*, **98**, 4320-4322 (1976)

12. Tin Dialkyldithiocarbamates: A Novel Group IV Metallothermochromic System, Dale L. Perry, John L. Margrave and Walter H. Waddell, *Inorganic Chimica Acta*, **18**, L29-L30 (1976)
13. Visual Pigments VI. A Comprehensive Consideration of the Spectroscopy and Photochemistry of Model Visual Pigments, Ralph S. Becker, Gordon Hug, Paritosh K. Das, Arnold M. Schaffer, Takeshie Takemura, Naoto Yamamoto and Walter H. Waddell, *Journal of Physical Chemistry*, **80**, 2265-2273 (1976) (Invited paper for the Michael Kasha Symposium issue)
14. Kinetic and Spectroscopic Investigation of a Quantum Chain Reaction, Peter Lechtken, Ahmed Yekta, Neil E. Shore, Hans C. Steinmetzer, Walter H. Waddell and Nicholas J. Turro, *Zeitschrift fur Physikalisch Chemie*, **101**, 79-90 (1976) (Invited Paper for the Theodor Forster Memorial issue)
15. Triarylmethane Dye Photochromism: Photochemistry and Spectroscopy of Brilliant Green Leucocyanide, Margaret W. Geiger, Nicholas J. Turro and Walter H. Waddell, *Photochemistry and Photobiology*, **25**, 15-20 (1977)
16. trans \rightarrow cis Photoisomerization of all-trans-Retinal, Walter H. Waddell and Daniel L. Hopkins, *Journal of the American Chemical Society*, **99**, 6457-6459 (1977)
17. Visual Pigments VII. Experimental and Theoretical Investigation of the Absorption Spectral Properties of Protonated Retinal Schiff Bases and Implications for the Bathochromic Shift of Visual Pigments, Walter H. Waddell, Arnold M. Schaffer and Ralph S. Becker, *Journal of the American Chemical Society*, **99**, 8456-8460 (1977)
18. Influence of Alkyl Substitution on the trans \rightarrow cis Photoisomerization of all-trans-Retinal and Related Polyenes, Walter H. Waddell, Daniel L. Hopkins, Motokazu Uemura and John L. West, *Journal of the American Chemical Society*, **100**, 1970-1972 (1978)
19. Photochemical Synthesis of cis Isomers of Retinal Analogs. 13-Demethylretinal, Walter H. Waddell, Motokazu Uemura and John L. West, *Tetrahedron Letters*, **35**, 3223-3226 (1978)
20. Observation of High Photoisomerization Quantum Yields for 11-cis-Retinal Analogs Having 12-s-trans Geometries, Walter H. Waddell and John L. West, *Chemical Physics Letters*, **62**, 431-434 (1979)
21. Quantitative Analysis of Photochemical Reactions Utilizing High Pressure Liquid Chromatography: Linear Polyenes Related to Vitamin A, Walter H. Waddell, Patricia M. Dawson, Daniel L. Hopkins, Karen L. Rach, Motokazu Uemura and John L. West, *Journal of Liquid Chromatography*, **2**, 1205-1218 (1979)
22. Photochemistry of Linear Polyenes Related to Vitamin A. 13-Demethylretinal and 14-Methylretinal, Walter H. Waddell and John L. West, *Journal of Physical Chemistry*, **84**, 134-139 (1980)
23. Radiative Stability of the Heterocyclic Polymer BBB, Walter H. Waddell and Usama E. Younes, *Polymer Preprints*, **21**, 195-196 (1980)

36. Photochemistry of Some Platinum (II)-Alkoxy carbonyl Complexes, Conrad F. Shiba and Walter H. Waddell, *Journal of Organometallic Chemistry*, **241**, 119-130 (1983)
37. The Mechanism of Reaction of Hydroxyl Radicals with Dopamine: A Pulse-Radiolysis Investigation, Walter H. Waddell and Helen W. Richter, in Oxy Radicals and Their Scavenger Systems, Volume 1. Molecular Aspects, G. Cohen and R. Greenwald, eds, Elsevier, New York, 44-49 (1983)
38. Nonclassical Fenton Systems: Chain Decomposition of Hydrogen Peroxide Catalyzed by Reduced 5-Methylphenazinium and Metal Ions: Helen W. Richter and Walter H. Waddell in Oxy Radicals and Their Scavenger Systems, Volume 1. Molecular Aspects, G. Cohen and R. Greenwald, eds, Elsevier, New York, 89-94 (1983)
39. Transient Absorption Spectral Evidence of Phenyl Nitrene as the Propagator in the Photoinitiated Autocatalytic Chain Decomposition of Phenyl Azide and Phenyl Isocyanate, Natalie B. Feilchenfeld and Walter H. Waddell, *Chemical Physics Letters*, **98**, 190-194 (1983)
40. Mechanism of the Oxidation of Dopamine by the Hydroxyl Radical in Aqueous Solution, Helen W. Richter and Walter H. Waddell, *Journal of the American Chemical Society*, **105**, 5434-5440 (1983)
41. Photoinitiated Chain Decomposition of Phenyl Isocyanate via its Reaction with Phenyl Nitrene, Walter H. Waddell and Natalie B. Feilchenfeld, *Journal of the American Chemical Society*, **105**, 5499-5500 (1983)
42. Evolution of Photo-oxidation Products Upon Irradiation of Phenyl Azide in the Presence of Molecular Oxygen, Celia Lee Go and Walter H. Waddell, *Journal of Organic Chemistry*, **48**, 2897-2900 (1983)
43. Qualitative Studies of the Low Temperature Photochemistry of Rhodopsin and Related Pigments, Walter H. Waddell, Juliette Lecomte, John L. West and Usama E. Younes, *Photochemistry and Photobiology*, **39**, 213-219 (1984)
44. Photoinitiated Autocatalytic Chain Decomposition of Phenyl Azide, Celia H. Lee Go and Walter H. Waddell, *Journal of the American Chemical Society*, **106**, 715-718 (1984)
45. Pulsed-Laser Kinetic Evidence for an Oscillatory Reaction in the Photoinitiated Autocatalytic Chain Decomposition (PACD) of Phenyl Azide and of Phenyl Isocyanate, Natalie B. Feilchenfeld and Walter H. Waddell, *Chemical Physics Letters*, **106**, 297-301 (1984)
46. The trans→cis Photoisomerization of Protonated Retinyl Schiff Bases, Jean M. Donahue and Walter H. Waddell, *Photochemistry and Photobiology*, **40**, 399-409 (1984)
47. Kinetic Analysis of the Photoinitiated Autocatalytic Chain Decomposition of Phenyl Azide. A Molecular Explosion in Solution, Joseph P. Costantino, Helen W. Richter,

Celia H. Lee Go, and Walter H. Waddell, *Journal of the American Chemical Society*, **107**, 1744-1747 (1985)

48. Resonance Raman Studies of Bacteriorhodopsin Analogues, Richard Schiffmiller, Robert H. Callender, Walter H. Waddell, R. Govindjee, Thomas G. Ebrey, H. Kakitani, Barry Honig and Koji Nakanishi, *Photochemistry and Photobiology*, **41**, 563-567 (1985)
49. Mechanistic Investigation of the Photoinitiated Autocatalytic Chain Decomposition (PACD) Reaction of Phenyl Azide and Derivatives, Roseann F. Jenkins, Walter H. Waddell and Helen W. Richter, *Journal of the American Chemical Society*, **109**, 1583-1584 (1987)
50. Synthesis and Solution Photochemistry of all-trans-1,1,2-Trideuteriooctatetraene, Roseann F. Jenkins, Celia H. Lee-Go and Walter H. Waddell, *Journal of Photochemistry*, **40**, 355-360 (1987)
51. Tires, Roop S. Bhakuni, Syed K. Mowdood, Walter H. Waddell, Iqbal S. Rai and Donald L. Knight, in Encyclopedia of Polymer Science and Engineering, 2nd Ed, John Wiley & Sons Inc, 1989, **16**, 834-861
52. Pneumatic Tire Compounding, Walter H. Waddell, Roop S. Bhakuni, William W. Barbin, and Paul H. Sandstrom, in The Vanderbilt Rubber Handbook, R. T. Vanderbilt and Co, 1990, 596-611
53. Tires, Walter H. Waddell, Roop S. Bhakuni, Syed K. Mowdood, Iqbal S. Rai and D L. Knight in The Concise Encyclopedia of Polymer Science and Engineering, John Wiley & Sons Inc, 1990, 1195-1197
54. Laser-Induced Binding of Precured Rubber Compounds, Patrice L. Baldeck, Su Y. Yang, Robert R. Alfano, Robert H. Callender, Cecil Bennett, Jr., Syed K. Mowdood and Walter H. Waddell, *Optical Engineering*, **30**, 312-316 (1991)
55. Mass Spectral Investigations of Rubber Compound Surface Species, Walter H. Waddell, Kimberly A. Benzing, Larry R. Evans, Syed K. Mowdood, David A. Weil, John M. McMahon, Robert H. Cody, Jr. and James A. Kinsinger, *Rubber Chemistry and Technology*, **64**, 622-634 (1991)
56. Laser Mass Spectral Analysis of Rubber Surfaces, Walter H. Waddell, in Applications of Analytical Techniques to the Characterization of Materials, American Chemical Society, Plenum Press, 153-161 (1992)
57. Microencapsulated Antidegradants for Extending Rubber Lifetime, Larry R. Evans, David A. Benko, James G. Gillick and Walter H. Waddell, *Rubber Chemistry and Technology*, **65**, 201-210 (1992)
58. Direct Characterization of Rubber Compound Surfaces Using Laser Desorption Mass Spectrometry, Walter H. Waddell, Kimberly A. Benzing, Larry R. Evans and John M. McMahon, *Rubber Chemistry and Technology*, **65**, 411-426 (1992)

59. Polymer Surface Modification, Walter H. Waddell, Larry R. Evans, James G. Gillick and Derek Shuttleworth, *Rubber Reviews*, **65**, 687-696 (1992)
60. Direct Characterization of Tire Materials by Photoacoustical Infrared and Proton Induced X-Ray Emission Spectroscopy, Walter H. Waddell and James R. Parker, *Rubber Chemistry and Technology*, **65**, 836-850 (1992)
61. Direct Non-Destructive Characterization of Tire Materials by Spectroscopy, Walter H. Waddell and James R. Parker, *Rubber World*, **207**, 29-35 (1992)
62. Improved Black Sidewall Compound Performance Using Precipitated Silica, Walter H. Waddell, James B. Douglas, Timothy A. Okel and Linda J. Snodgrass, *Rubber World*, **208**, 21-25 (1993)
63. High Performance Silica in Tire Black Sidewalls, Walter H. Waddell and Larry R. Evans, *Tire Technology International '93*, 64-71 (1993)
64. Computerized Optimization of a Tire White Sidewall, Larry R. Evans and Walter H. Waddell, *Rubber World*, **209**, 18-21,31 (1993)
65. Formation of Ultrathin Polystyrene Films in Absorbed Surfactant Bilayers on Silica, John H. O'Haver, Jeffrey H. Harwell, Edgar A. O'Rear, Walter H. Waddell, Linda J. Snodgrass and James R. Parker, *Materials Research Society Symposium Proceedings*, **304**, 161-166 (1993)
66. Microencapsulated Antidegradants for Extending Rubber Lifetime, Larry R. Evans, David A. Benko, James G. Gillick and Walter H. Waddell, *Gummi Fasern Kunststoffe*, **46**, 89-93 (1993)
67. Silica Properties/Rubber Performance Correlation. Carbon Black-Filled Rubber Compounds, Timothy A. Okel and Walter H. Waddell, *Rubber Chemistry and Technology*, **67**, 217-236 (1994)
68. Correlation of Silica-Filled Compounds, Larry R. Evans and Walter H. Waddell, *Rubber & Plastics News*, April 25, 1994, p 15-19
69. PIXE Analysis Provides Window to Rubber, Walter H. Waddell and Larry R. Evans, *Rubber & Plastics News*, May 9, 1994, p 23-25
70. Improved Farm Treads Using Precipitated Silica, Walter H. Waddell, Larry R. Evans and James R. Parker, *Rubber & Plastics News*, July 18, 1994, p 15-20
71. Microencapsulation of Antiozonants, Walter H. Waddell and Larry R. Evans, *Rubber World*, **210**, 18-24 (1994)
72. Effect of Silica Properties on Rubber and Tire Compound Properties, Walter H. Waddell, Larry R. Evans and Timothy A. Okel, *Tire Technology International '94*, 22-30 (1994)

85. Mechanism By Which Precipitated Silica Improves Brass-Coated Wire-To-Natural Rubber Adhesion, Walter H. Waddell, Larry R. Evans, Edward G. Goralski and Linda J. Snodgrass, *Rubber Chemistry and Technology*, **69**, 48-58 (1996)
86. Use of Precipitated Silica to Improve Brass-Coated Wire to Rubber Adhesion, Larry R. Evans, Jeffrey C. Hope, Timothy A. Okel and Walter H. Waddell, *Rubber World*, **214**, 21-26 (1996)
87. Mechanism and Optimization of Precipitated Silica to Improve Brass-Coated Wire-to-Natural Rubber Adhesion, Timothy A. Okel, Walter H. Waddell and Larry R. Evans, *Tire Technology International '96*, 104-116 (1996)
88. High-Capacity Precipitated Silica Carriers for the Rubber Industry, Diana L. Scott, James T. Dew, Larry R. Evans and Walter H. Waddell, *Rubber & Plastics News*, April 22, 1996, p 12-17
89. New Non-Dusting, Free-Flowing Dry Concentrate Hexamethoxymethylmelamine Resin on Precipitated Silica Carrier, Charles M. Hoff, Larry R. Evans and Walter H. Waddell, *Rubber World*, **214**, 21-24 (1996)
90. Use of Nonblack Fillers in Tire Compounds, Larry R. Evans and Walter H. Waddell, *Rubber Chemistry and Technology, Rubber Reviews*, **69**, 377-423 (1996)
91. Review of Applications of Proton Induced X-ray Emission Spectroscopy to Tire Materials Characterization, Walter H. Waddell and Larry R. Evans, *Kautschuk Gummi Kunststoffe*, **49**, 571, 574, 576-580 (1996)
92. Amorphous Silica, Walter H. Waddell and Larry R. Evans, *Encyclopedia of Chemical Technology*, Fourth Edition, **21**, 1005-1032 (1997)
93. Optimization of an Organocobalt-Containing Wire Coat Compound Using Precipitated Silica, Larry R. Evans and Walter H. Waddell, *Rubber World*, **216**, 22-24, 26-28 (1997)
94. Optimized Silica Mixing Sequence Aids Passenger Tread Properties, Shailesh D. Patkar, Larry R. Evans and Walter H. Waddell, *ITEC '96 Select*, 237-241 (September, 1997)
95. Application of Raman Microimaging in Characterization of Polymers, R. Appel, T. W. Zerda and W. H. Waddell, *Rubber World*, **219**, 32-34, 36-37 (1998)
96. Tire Black Sidewall Surface Discoloration and Non-Staining Technology: A Review, Walter H. Waddell, *Rubber Chemistry and Technology, Rubber Reviews*, **71**, 590-618 (1998)
97. A Review of Isobutylene-based Elastomers Used in Automotive Applications, John E. Rogers and Walter H. Waddell, *Rubber World*, **219**, 24, 26, 28, 30-31, 33-34, 36, 38 (1999)

98. Effects of Brominated Isobutylene-co-para-methylstyrene Structure on the Properties of a Tire Black Sidewall Compound, Walter H. Waddell, David Y. Chung and Scott C. Solis, *Rubber World*, **221**, 29-30, 32-36 (1999)
99. Phase Mixing of Brominated Isobutylene-co-para-methylstyrene with Precipitated Silica to Enhance the Properties of a Tire Tread Compound, Walter H. Waddell and Robert R. Poulter, *Rubber & Plastics News*, November 1, 1999, p 12-16, 21
100. Precipitated Silica and Non-black Fillers, Walter H. Waddell and Larry R. Evans, in "Rubber Compounding and Testing for Performance", John Dick, editor, Hanser Publishers, Munich, 2000
101. Improved Traction With Brominated Isobutylene-co-para-methylstyrene, Walter H. Waddell and Robert R. Poulter, *Rubber World*, **222**, 36, 38, 40-42 (2000)
102. Raman Microimaging of Polymer Blends, R. Appel, T. Waldek Zerda and Walter H. Waddell, *Applied Spectroscopy*, **54**(11), 1559-1566 (2000)
103. Effects of Brominated Isobutylene-co-para-methylstyrene Structure on the Properties of a Tire Black Sidewall Compound, Walter H. Waddell, David Y. Chung and Scott C. Solis, *Gummi Fasern Kunststoffe*, **53**, 769-777 (2000)
104. Improved Tread Compound Wet / Winter Traction Using Brominated Isobutylene-co-para-methylstyrene, Walter H. Waddell, Robert C. Napier and Robert R. Poulter, *Kautschuk Gummi Kunststoffe*, **54**, 1-7 (2001)
105. Morphology of Elastomer Blends by Dynamic AFM, Andy H. Tsou and Walter H. Waddell, *Rubber Chemistry and Technology*, submitted for publication
106. BIMS Elastomer for Improved Winter Traction Tire Treads, Robert R. Poulter, Julie G. Foster, R. Christopher Napier, Walter H. Waddell and Joseph R. Webb, *ITEC '2000 Select*, in press

PRESENTATIONS

1. Spectroscopy, Photochemistry and Calculations on Schiff Bases of Retinals, *American Chemical Society Southeast-Southwest Regional Meeting*, New Orleans, LA, 1970
2. Fluorescence Quantum Yields of Visual Pigments, *165th National Meeting of the American Chemical Society*, Dallas, TX, 1973
3. Spectral Investigation of Acidified Schiff's Bases of Retinal, *165th National Meeting of the American Chemical Society*, Dallas, TX, 1973
4. *Conformation of 11-cis-Retinal, Organic Chemistry Division, *Columbia University*, New York, NY, 1974
5. *Thermal and Photochemistry of Benzene Valence Isomers: Benzvalene and Prismane, Department of Chemistry, *Carnegie-Mellon University*, Pittsburgh, PA, 1975
6. *Spectroscopy and Photochemistry of Retinals, Radiation Research Laboratory, *Carnegie-Mellon University*, Pittsburgh, PA, 1975
7. *Spectroscopy and Photochemistry of Retinals, Department of Chemistry, *Duquesne University*, Pittsburgh, PA, 1976
8. *Chemistry of the Visual Protein Rhodopsin, Department of Biological Sciences, *Carnegie-Mellon University*, Pittsburgh, PA, 1976
9. *The cis-trans Photoisomerization of Retinals and Visual Pigments, Organic Division, *Pittsburgh Section, American Chemical Society*, 1976
10. The cis-trans Photoisomerization of Retinals and Visual Pigments, *P A Leermakers Symposium, Wesleyan University*, Middletown, CT, 1976
11. *Photochemistry of Benzene Valence Isomers, Department of Chemistry, *Wellesley College*, Boston, MA, 1977
12. *The cis-trans Photoisomerization of Retinals and Visual Pigments, Department of Chemistry, *Northeastern University*, Boston, MA, 1977
13. *The cis-trans Photoisomerization of Retinals and Related Polyenes, Radiation Laboratories, *University of Notre Dame*, South Bend, IN, 1978
14. The trans-cis Photoisomerization of Retinals and Related Polyenes, *175th National Meeting of the American Chemical Society*, Los Angeles, CA, 1978
15. *The cis-trans Photoisomerization of Retinals and Related Polyenes, *Gordon Conference on Chemical Research: Chemical-Physico Aspects of Visual Transduction Processes*, Tilton, NH, 1978

16. *The cis-trans Photoisomerization of Retinals and Visual Pigments, Department of Chemistry, *West Virginia University*, Morgantown, WV, 1979
17. Cis-trans Photoisomerization of 11-cis-Retinal and Related Polyenes, *11th Central Regional Meeting of the American Chemical Society*, Columbus, OH, 1979
18. Photoisomerization of Linear Polyenes Related to Vitamin A, *Gordon Conference on Chemical Research: Organic Photochemistry*, Andover, NH, 1979
19. Photochemistry of Linear Polyenes Related to Vitamin A, *178th National Meeting of the American Chemical Society*, Washington, DC, 1979
20. Photochemistry of Linear Polyenes Related to Vitamin A, *9th Northeast Regional Meeting of the American Chemical Society*, Syracuse, NY, 1979
21. Radiative Stability of the Heterocyclic Polymer BBB, *179th National Meeting of the American Chemical Society*, Houston, TX, 1980
22. Absorption Spectral Investigation of the Molecular Association of Retinyl Polyenes, *179th National Meeting of the American Chemical Society*, Houston, TX, 1980
23. Absorption Spectral Studies of Dilute Solutions of Flexible Polymers, *Second Chemical Conference of North America*, Las Vegas, NV, 1980
24. Photoisomerization of Linear Polyenes Related to the visual Chromophore, *Second Chemical Conference of North America*, Las Vegas, NV, 1980
25. *Photoisomerization of Linear Polyenes Related to the Visual Chromophore, Chemistry Division, *Argonne National Laboratories*, Chicago, IL, 1981
26. *Photoisomerization of Linear Polyenes Related to the Visual Chromophore, Department of Chemistry, *Bowling Green State University*, Bowling Green, OH, 1981
27. *Photoisomerization of Linear Polyenes Related to the Visual Chromophore, Department of Chemistry, *University of Toledo*, Toledo, OH, 1981
28. Activation Barriers for the trans→cis Photoisomerization of all-trans-Retinal, *Gordon Conference on Chemical Research: Organic Photochemistry*, Andover, NH, 1981
29. *Photoisomerization of Retinyl Polyenes, Discussion Meeting on Visual Pigments and Related Topics, *Universite de Montreal*, Montreal, Quebec, Canada, 1981
30. *The trans→cis Photoisomerization of Retinal and Related Linear Polyenes, Organic-Inorganic Chemistry Division, *Northwestern University*, Evanston, IL, 1982
31. *The trans→cis Photoisomerization of Retinal and Related Linear Polyenes, Department of Chemistry, *University of Chicago*, Chicago, IL, 1982
32. *The Photoisomerization of Linear Polyenes Related to the Visual Chromophore, Department of Chemistry, *Fordham University*, New York, NY, 1982

33. *The Photochemistry of Retinyl Polyenes, Department of Chemistry, *Wesleyan University*, Middletown, CT, 1982
34. *Chemistry of Reactive Nitrogen Compounds: Aryl Azides, Center for the Joining of Materials, *Carnegie-Mellon University*, Pittsburgh, PA, 1982
35. *Laser Kinetic Studies of Aryl Azides, Regional Laser Laboratory, *University of Pennsylvania*, Philadelphia, PA, 1982
36. The Mechanism of Reaction of Hydroxyl Radicals with Dopamine: A Pulse Radiolysis Investigation, *Third International Conference on Superoxide and Superoxide Dismutase*, Ellenville, NY, 1982
37. *Cis-Trans Photoisomerization of Linear Polyenes and of Visual Pigments, Department of Chemistry, *Loyola University*, Chicago, IL, 1983
38. *Chemical R&D at The Goodyear Tire & Rubber Company, Department of Chemistry, *Baldwin-Wallace College*, Berea, OH, 1985
39. *The Photochemistry of Phenyl Azide. The First Molecular Explosion in Solution, Department of Chemistry, *University of Akron*, Akron, OH, 1985
40. *The Photochemistry of Phenyl Azide. The First Molecular Explosion in Solution, *Akron Section, American Chemical Society*, Akron OH, 1986
41. *Photochemistry of Phenyl Azides. A Molecular Explosion in Solution, *192nd National American Chemical Society Meeting*, Anaheim, CA, 1986
42. *Direct Surface Characterization of Elastomeric Compounds, *199th National American Chemical Society Meeting*, Boston, MA, 1990
43. *Laser Mass Spectral Analysis of Rubber Surfaces, *200th National American Chemical Society Meeting*, Washington, D.C., 1990
44. *Direct Characterization of Rubber Surface Chemistry Using Laser Desorption Mass Spectrometry, *139th American Chemical Society Rubber Division Meeting*, Toronto, Canada, 1991
45. *Direct Characterization of Tire Materials by Photoacoustical Infrared and Proton Induced X-Ray Emission Spectroscopy, *140th American Chemical Society Rubber Division Meeting*, Detroit, MI, 1991
46. *Spectroscopic Characterization of Polymer Surfaces, Department of Chemistry, *The University of Akron*, Akron, OH, 1991
47. *Non-Destructive Analysis of Tire Materials by Photoacoustical Infrared and Proton Induced X-Ray Emission Spectroscopy, *Akron Rubber Group*, 1992

48. *Improved Black Sidewall Compound Performance Using Precipitated Silica, *141st American Chemical Society Rubber Division Meeting*, Nashville, TN, 1992
49. Use of Silica to Improve Black Sidewall Performance, *International Rubber Conference 1992*, Beijing, China, 1992
50. *Microencapsulation of Antiozonants, *American Chemical Society Rubber Division Meeting*, Denver, CO, 1993
51. Molecular Interactions, *2nd International Conference on Carbon Black*, Mulhouse, France, 1993
52. *Organic Polymer-Surface Modified Precipitated Silica, *Akron Rubber Group*, Akron, OH, 1994
53. *Non-destructive Spectroscopic Characterization of Elastomer Products, Department of Polymer Science, *Pennsylvania State University*, State College, PA, 1994
54. *Improved Farm Tread Performance Using Precipitated Silica, *American Chemical Society Rubber Division Meeting*, Chicago, IL, 1994
55. *Non-Destructive Spectroscopic Characterization of Elastomer Products, Department of Chemical Engineering and Materials Science, *University of Oklahoma*, Norman, OK, 1994
56. *Silica Physical Property Effects on Rubber Compound Performance, Petroleum and Petrochemical College, *Chulalongkorn University*, Bangkok, Thailand, 1994
57. *Ultra-High Reinforcing Precipitated Silica, *International Tire Exposition and Conference*, Akron, OH, 1994
58. *Silica Physical Property Effects on Rubber Compound Performance, Department of Chemical Engineering and Materials Science, *University of Oklahoma*, Norman, OK, 1994
59. *Hi-Sil® 2000 Ultra-High Reinforcing Precipitated Silica for Rubber and Tire Applications, *Rhode Island Rubber Group*, Providence, RI, 1995
60. Review of Applications of Proton Induced X-Ray Emission Spectroscopy to Tire Materials Characterization, *American Chemical Society Rubber Division Meeting*, Philadelphia, PA, 1995
61. *Silica-Filled Elastomers, *Gordon Conference on Chemical Research: Elastomers*, New London, New Hampshire, 1995
62. *Mechanism By Which Precipitated Silica Improves Brass-Coated Wire-to-Natural Rubber Adhesion, *American Chemical Society Rubber Division Meeting*, Cleveland, OH, 1995

63. Reinforcing Precipitated Silica for Tire and Rubber Applications, *International Rubber Conference '95*, Kobe, Japan, 1995
64. *Tire Black Sidewall Surface Discoloration: A Review, *American Chemical Society Rubber Division Meeting*, Cleveland, OH, 1997
65. Effects of Brominated Isobutylene-co-para-methylstyrene Structure on the Properties of a Tire Black Sidewall Compound, *American Chemical Society Rubber Division Meeting*, Nashville, TN, 1998
66. Brominated Isobutylene-co-para-methylstyrene Rubber for Tire Applications, *3rd Rubber Colloquium*, Hannover, Germany, 1998
67. *Effects of Brominated Isobutylene-co-para-methylstyrene Structure on the Properties of a Tire Black Sidewall Compound, University of Mississippi, University, MS, 1999
68. *Phase Mixing of Brominated Isobutylene-co-para-methylstyrene with Precipitated Silica to Enhance the Properties of a Tire Tread Compound, *American Chemical Society Rubber Division Meeting*, Chicago, IL, 1999
69. *Improved Tread Compound Wet / Winter Traction using Brominated Isobutylene-co-para-methylstyrene, *American Chemical Society Rubber Division Meeting*, Dallas, TX, 2000
70. *Polymer-Filler Interactions in Elastomer Blends, Texas Christian University, Fort Worth, TX, 2000
71. *ExxproTM Winter Tire Tread Compounds, Deutsches Institut für Kautschuktechnologie, Hannover, Germany, 2001

* = Invited

EXHIBIT 2


Rows	N660	Regal85	Calsol810	Parapal1300	MV@100C	MS@135T5	MH	12	150	t90	ShoreA	Tensile	300%Modulus	Elongation	Adhes.N/mm	Permeability
1	20	40	2	2	51.5	13.85	5.28	4.46	4.46	10.07	43.5	11.85	2.63	921	16.24	22.7522
2	40	80	2	8	66.9	12.17	7.96	3.51	4.53	8.87	59.7	7.82	5.45	658	17.87	20.0626
3	40	80	14	14	32.3	17.23	3.79	5.92	4.72	8.64	36.5	8.12	1.96	924	13.74	33.4616
4	60	80	14	2	68.2	11.82	8.7	3.29	4.45	8.74	62.7	7	5.98	513	9.67	26.8082
5	60	120	2	14	35.9	10.37	9.88	3.04	4.33	8.19	72.9	7.41	7.05	351	5.43	17.2323
6	20	80	8	14	38.5	16	4.55	5.07	4.63	8.56	40.7	8.01	2.48	845	16.45	27.3238
7	20	120	14	8	46.4	14.28	6.44	4.12	4.76	8.96	50.7	6.54	3.74	641	13.08	28.4259
8	60	40	8	8	56.8	14.55	6.59	3.7	4.32	8.2	52.3	7.98	4.26	709	17.15	24.8426
9	40	120	8	2	88	16.03	10.99	2.8	4.31	8.81	69.1	6.74	6.44	403	3.66	18.2279
10	60	0	8	0	57.9	13.13	6.24	3.58	4.05	8.72	46.7	10.84	3.68	836	22.29	28.1912
11	60	0	8	0	57.6	12.67	6.25	3.52	3.98	8.66	45.9	11.04	3.71	865	17.5	27.4706
12	0	100	0	8	53.7	13.12	6.14	4.07	4.42	8.93	47.7	9.13	3.59	775	20.55	19.7465
13	0	100	0	8	54.9	13.08	6.28	3.99	4.42	8.91	48.5	9.11	3.39	804	20.32	20.7516
14	40	80	8	8	56.9	13.37	6.7	3.86	4.54	8.91	53.5	7.45	4.49	669	13.77	25.2106
15	40	80	8	8	57.4	13.82	7.19	3.81	4.65	8.98	53.9	7.43	4.54	650	13.8	26.0908

EXHIBIT 3

Least Squares Fit

Response Permeability

Actual by Predicted Plot



Summary of Fit

RSquare	0.958179
RSquare Adj	0.94145
Root Mean Square Error	1.093892
Mean of Response	24.43989
Observations (or Sum Wgts)	15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	4	274.15710	68.5393	57.2784
Error	10	11.96599	1.1966	Prob > F
C. Total	14	286.12309		<.0001


Scaled Estimates

Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	24.439893	0.282442	86.53	<.0001
N660	-2.588173	0.50949	-5.08	0.0005
Regal85	-5.180402	0.583181	-8.88	<.0001
Calso1810	6.0417221	0.470757	12.83	<.0001
Parapol1300	2.4501061	0.505368	4.85	0.0007

Response MV@100C

Actual by Predicted Plot



Summary of Fit

RSquare	0.704368
RSquare Adj	0.586115
Root Mean Square Error	8.88879
Mean of Response	54.86
Observations (or Sum Wgts)	15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	4	1882.4901	470.623	5.9564
Error	10	790.1059	79.011	Prob > F
C. Total	14	2672.5960		0.0102

Scaled Estimates

Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	54.86	2.295076	23.90	<.0001
N660	4.5603913	4.140033	1.10	0.2965
Regal85	12.68265	4.738838	2.68	0.0232
Calso1810	-2.969157	3.825299	-0.78	0.4556
Parapol1300	-19.43282	4.106544	-4.73	0.0008

Least Squares Fit					
Response MV@100C					
Scaled Estimates					
Term	Scaled Estimate		Std Error	t Ratio	Prob> t
Parapol1300	-18.61404		2.187077	-8.51	0.0010
(N660-37.3333)*(Parapol1300-6.93333)	-13.96991		3.901559	-3.58	0.0232
(Regal85-74.6667)*(Parapol1300-6.93333)	-20.7048		2.328558	-8.89	0.0009
(Calsol810-6.93333)*(Parapol1300-6.93333)	6.9559136		3.228056	2.15	0.0975





EXHIBIT 4

Least Squares Fit

Prediction Profiler




73. In-situ Formation of Polystyrene in Adsorbed Surfactant Bilayers on Precipitated Silica, John H. O'Haver, Jeffrey H. Harwell, Edgar A. O'Rear, Linda J. Snodgrass and Walter H. Waddell, *Langmuir*, **10**, 2588-2593 (1994)
74. Organic Polymer-Surface Modified Precipitated Silica, Walter H. Waddell, John H. O'Haver, Larry R. Evans and Jeffrey H. Harwell, *Journal of Applied Polymer Science*, **55**, 1627-1641 (1995)
75. Wear of Tire Tread/Carcass Composites, B. L. Lee, D. S. Liu, M. G. Croyle, W. H. Waddell, P. M. Wagner and P. C. Ulrich, *Society of Automotive Engineering*, Paper Series No 951415, 1 (1995)
76. Effect of Precipitated Silica Physical Properties on Silicone Rubber Performance, Timothy A. Okel and Walter H. Waddell, *Rubber Chemistry and Technology*, **68**, 59-76 (1995)
77. Use of Reinforcing Silica in Model Sidewall Compounds: Effects of Carbon Black Type, Polymer Type and Filler, Level, Larry R. Evans, Jeffrey C. Hope and Walter H. Waddell, *Rubber World*, **212**, 21-25, 29 (1995)
78. Ultra-High Reinforcing Precipitated Silica for Tire Tread Applications, Walter H. Waddell, Paul A. Beauregard and Larry R. Evans, *Tire Technology International '95*, 24-36 (1995)
79. Hi-Sil® EZ: Easy Dispersing Precipitated Silica for Tire and Rubber Applications, Larry R. Evans, James T. Dew, Lisa T. Hope, Thomas G. Krivak and Walter H. Waddell, *Rubber & Plastics News*, July 30, 1995, p 12-15
80. Ultra-High Reinforcing Precipitated Silica for Rubber and Tire Applications, Larry R. Evans and Walter H. Waddell, *Kautschuk Gummi Kunststoffe*, **48**, 718-723 (1995)
81. Polar Copolymer-Surface Modified Precipitated Silica, John H. O'Haver, Jeffrey H. Harwell, Larry R. Evans and Walter H. Waddell, *Journal of Applied Polymer Science*, **59**, 1427-1435 (1996)
82. Comparison of Rubber Reinforcement Using Various Surface-Modified Precipitated Silicas, Valeeporn Thammathadanukul, John H. O'Haver, Jeffrey H. Harwell, Somchai Osuwan, Nuchanat Na-Ranong and Walter H. Waddell, *Journal of Applied Polymer Science*, **59**, 1741-1750 (1996)
83. Use of Precipitated Silica to Improve Brass-Coated Wire to Rubber Adhesion, Larry R. Evans, Jeffrey C. Hope, Timothy A. Okel and Walter H. Waddell, *Gummi Fasern Kunststoffe*, **49**, 128-133 (1996)
84. Use of Photoacoustic FTIR Spectroscopy to Quantitatively Characterize Polymer Structure, James R. Parker and Walter H. Waddell, *Journal of Elastomers and Plastics*, **28**, 140-160 (1996)

24. Radiative Stability of the Heterocyclic Polymer BBB, Walter H. Waddell and Usama E. Younes, *Journal of Polymer Science, Polymer Physics Edition*, **18**, 891-896 (1980)
25. Electronic and Vibrational Spectral Investigation of the Molecular Association of the all-trans Isomers of Retinal, Retinol, and Retinoic Acid, Kohji Chihara and Walter H. Waddell, *Journal of the American Chemical Society*, **102**, 2963-2968 (1980)
26. Absorption Spectral Studies of Dilute Solutions of Flexible Polymers, Walter H. Waddell and Celia H. Lee, *Polymer Reprints*, **21**, 199-201 (1980)
27. Light Activation of Bovine Rod Phosphodiesterase by Nonphysiological Visual Pigments, Thomas Ebrey, Motoyuki Tsuda, G. Sassenrath, John L. West and Walter H. Waddell, *Federation of European Biochemical Societies Letters*, **116**, 217-219 (1980)
28. Ultraviolet Absorbance of Semidilute Polymer Solutions, Celia H. Lee, Walter H. Waddell, and Edward F. Casassa, *Macromolecules*, **14**, 1021-1024 (1981)
29. Photochemistry of all-trans- and 13-cis-14,15-Dideuterioretinal, Walter H. Waddell, Kohji Chihara and Usama E. Younes, *Photochemistry and Photobiology*, **34**, 501-504 (1981)
30. The Active Oxygen Species in the Phenazine Methosulfate/NADH/O₂ Hydroxylating System, Helen W. Richter and Walter H. Waddell, in Oxygen and Oxy-Radicals in Chemistry and Biology, M. A. J. Rodgers and E. L. Powers, eds., Academic-Press, New York, 711-713 (1981)
31. Activation Barriers for the trans→cis Photoisomerization of all-trans-Retinal, Walter H. Waddell and Kohji Chihara, *Journal of the American Chemical Society*, **103**, 7389-7390 (1981)
32. Reactive Species Produced by the 5-Methylphenazinium Methylsulfate/Reduced beta-Nicotinamide Adenine Dinucleotide/O₂ System in the Hydroxylation of Benzoic Acid, Helen W. Richter, Melanie A. Fetrow, Rachel E. Lewis and Walter H. Waddell, *Journal of the American Chemical Society*, **104**, 1666-1671 (1982)
33. A Time-Resolved Assay of Dopamine-beta-Hydroxylase Activity Utilizing High-Pressure Liquid Chromatography, Natalie B. Feilchenfeld, Helen W. Richter and Walter H. Waddell, *Analytical Biochemistry*, **122**, 124-128 (1982)
34. Chain Decomposition of Hydrogen Peroxide Induced by Catalytic Levels of Reduced 5-Methylphenazinium and Metal Ions: A Non-Classical Fenton System, Helen W. Richter and Walter H. Waddell, *Journal of the American Chemical Society*, **104**, 4630-4634 (1982)
35. Quantum Yield Evidence for a Chain Reaction in the Photochemical Decomposition of Phenyl Azide, Walter H. Waddell and Celia H. Lee, *Journal of the American Chemical Society*, **104**, 5804-5805 (1982)

Least Squares Fit

Response Permeability

Actual by Predicted Plot



Summary of Fit

RSquare 0.978913
 RSquare Adj 0.926195
 Root Mean Square Error 1.228159
 Mean of Response 24.43989
 Observations (or Sum Wgts) 15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	280.08959	28.0090	18.5690
Error	4	6.03350	1.5084	Prob > F
C. Total	14	286.12309		0.0063


Scaled Estimates

Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	23.57878	0.938852	25.11	<.0001
N660	-1.150982	3.039034	-0.38	0.7241
Regal85	-3.114396	2.348209	-1.33	0.2554
(N660-37.3333)*(Regal85-74.6667)	0.0591635	1.532426	0.04	0.9711
Calsol810	5.566476	2.505293	2.22	0.0904
(N660-37.3333)*(Calsol810-6.93333)	1.8343251	2.173488	0.84	0.4462
(Regal85-74.6667)*(Calsol810-6.93333)	1.3692384	5.020086	0.28	0.7957
Parapol1300	2.5858517	1.377765	1.88	0.1338
(N660-37.3333)*(Parapol1300-6.93333)	-0.568979	2.457816	-0.23	0.8283
(Regal85-74.6667)*(Parapol1300-6.93333)	2.3330606	1.466892	1.59	0.1869
(Calsol810-6.93333)*(Parapol1300-6.93333)	1.5542149	2.033537	0.76	0.4873

Response MV@100C

Actual by Predicted Plot



Summary of Fit

RSquare 0.994311
 RSquare Adj 0.98009
 Root Mean Square Error 1.94959
 Mean of Response 54.88
 Observations (or Sum Wgts) 15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	2657.3924	265.739	69.9148
Error	4	15.2036	3.801	Prob > F
C. Total	14	2672.5960		0.0005

Scaled Estimates


Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	58.431657	1.490342	39.21	<.0001
N660	11.923302	4.82419	2.47	0.0688
Regal85	10.630306	3.727568	2.85	0.0463
(N660-37.3333)*(Regal85-74.6667)	-3.361981	2.432587	-1.38	0.2391
Calsol810	-12.4358	3.976925	-3.13	0.0353
(N660-37.3333)*(Calsol810-6.93333)	-5.302749	3.450214	-1.54	0.1991
(Regal85-74.6667)*(Calsol810-6.93333)	-2.963747	7.968931	-0.37	0.7288

EXHIBIT 5

Least Squares Fit
Response Permeability

Actual by Predicted Plot



Summary of Fit

RSquare	0.978913
RSquare Adj	0.926195
Root Mean Square Error	1.228159
Mean of Response	24.43989
Observations (or Sum Wgts)	15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	280.08959	28.0090	18.5690
Error	4	6.03350	1.5084	Prob > F
C. Total	14	286.12309		0.0063*

Scaled Estimates


Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	23.57878	0.938852	25.11	<.0001*
N660	-1.150982	3.039034	-0.38	0.7241
Regal85	-3.114396	2.348209	-1.33	0.2554
Calsol810	5.566476	2.505293	2.22	0.0904
Parapol1300	2.5858517	1.377765	1.88	0.1338
(N660-37.3333)*(Regal85-74.6667)	0.0591635	1.532426	0.04	0.9711
(N660-37.3333)*(Calsol810-6.93333)	1.8343251	2.173488	0.84	0.4462
(N660-37.3333)*(Parapol1300-6.93333)	-0.568979	2.457816	-0.23	0.8283
(Regal85-74.6667)*(Calsol810-6.93333)	1.3892384	5.020086	0.28	0.7957
(Regal85-74.6667)*(Parapol1300-6.93333)	2.3330606	1.466892	1.59	0.1869
(Calsol810-6.93333)*(Parapol1300-6.93333)	1.5542149	2.033537	0.76	0.4873

Least Squares Fit

Response: MV@100C

Actual by Predicted Plot



Summary of Fit

RSquare 0.994311
RSquare Adj 0.98009
Root Mean Square Error 1.94959
Mean of Response 54.86
Observations (or Sum Wgts) 15


Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	2657.3924	265.739	69.9148
Error	4	15.2036	3.801	Prob > F
C. Total	14	2672.5960		0.0005*

Scaled Estimates

Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	58.431657	1.490342	39.21	<.0001*
N660	11.923302	4.82419	2.47	0.0688
Regal85	10.630306	3.727568	2.85	0.0463*
Calsol810	-12.4358	3.976925	-3.13	0.0353*
Parapol1300	-18.61404	2.187077	-8.51	0.0010*
(N660-37.3333)*(Regal85-74.6667)	-3.361981	2.432587	-1.38	0.2391
(N660-37.3333)*(Calsol810-6.93333)	-5.302749	3.450214	-1.54	0.1991
(N660-37.3333)*(Parapol1300-6.93333)	-13.96991	3.901559	-3.58	0.0232*
(Regal85-74.6667)*(Calsol810-6.93333)	-2.963747	7.968931	-0.37	0.7288
(Regal85-74.6667)*(Parapol1300-6.93333)	-20.7048	2.328558	-8.89	0.0009*
(Calsol810-6.93333)*(Parapol1300-6.93333)	6.9559136	3.228056	2.15	0.0975



Prediction Profiler





EXHIBIT 6

Least Squares Fit

Response: Permeability

Actual by Predicted Plot



Summary of Fit

RSquare	0.978913
RSquare Adj	0.926195
Root Mean Square Error	1.228159
Mean of Response	24.43989
Observations (or Sum Wgts)	15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	280.08959	28.0090	18.5690
Error	4	6.03350	1.5084	Prob > F
C. Total	14	286.12309		0.0063*

Scaled Estimates


Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	23.57878	0.938652	25.11	<.0001*
N660	-1.150982	3.039034	-0.38	0.7241
Regal85	-3.114396	2.348209	-1.33	0.2554
Calsol810	5.566476	2.505293	2.22	0.0904
Parapol1300	2.5858517	1.377765	1.88	0.1338
(N660-37.3333)*(Regal85-74.6667)	0.0591635	1.532426	0.04	0.9711
(N660-37.3333)*(Calsol810-6.93333)	1.8343251	2.173488	0.84	0.4462
(N660-37.3333)*(Parapol1300-6.93333)	-0.568979	2.457816	-0.23	0.8283
(Regal85-74.6667)*(Calsol810-6.93333)	1.3892384	5.020086	0.28	0.7957
(Regal85-74.6667)*(Parapol1300-6.93333)	2.3330606	1.466892	1.59	0.1869
(Calsol810-6.93333)*(Parapol1300-6.93333)	1.5542149	2.033537	0.76	0.4873

Least Squares Fit

Response: MV@100C

Actual by Predicted Plot



Summary of Fit

RSquare 0.994311
 RSquare Adj 0.98009
 Root Mean Square Error 1.94959
 Mean of Response 54.86
 Observations (or Sum Wgts) 15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio	Prob > F
Model	10	2657.3924	265.739	69.9148	
Error	4	15.2036	3.801		
C. Total	14	2672.5960			0.0005*

Scaled Estimates

Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	58.431657	1.490342	39.21	<.0001*
N660	11.923302	4.82419	2.47	0.0688
Regal85	10.630306	3.727568	2.85	0.0463*
Calsol810	-12.4358	3.976925	-3.13	0.0353*
Parapol1300	-18.61404	2.187077	-8.51	0.0010*
(N660-37.3333)*(Regal85-74.6667)	-3.361981	2.432587	-1.38	0.2391
(N660-37.3333)*(Calsol810-6.93333)	-5.302749	3.450214	-1.54	0.1991
(N660-37.3333)*(Parapol1300-6.93333)	-13.96991	3.901559	-3.58	0.0232*
(Regal85-74.6667)*(Calsol810-6.93333)	-2.963747	7.968931	-0.37	0.7288
(Regal85-74.6667)*(Parapol1300-6.93333)	-20.7048	2.328558	-8.89	0.0009*
(Calsol810-6.93333)*(Parapol1300-6.93333)	6.9559136	3.228056	2.15	0.0975

Prediction Profiler





EXHIBIT 7

Least Squares Fit

Response Permeability

Actual by Predicted Plot



Summary of Fit

RSquare	0.978913
RSquare Adj	0.926195
Root Mean Square Error	1.228159
Mean of Response	24.43989
Observations (or Sum Wgts)	15


Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	280.08959	28.0090	18.5690
Error	4	6.03350	1.5084	Prob > F
C. Total	14	286.12309		0.0063*

Scaled Estimates

Continuous factors centered by mean, scaled by range/2


Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	23.57878	0.938852	25.11	<.0001*
N660	-1.150982	3.039034	-0.38	0.7241
Regal85	-3.114396	2.348209	-1.33	0.2554
Calsol810	5.566476	2.505293	2.22	0.0904
Parapol1300	2.5858517	1.377765	1.88	0.1338
(N660-37.3333)*(Regal85-74.6667)	0.0591635	1.532426	0.04	0.9711
(N660-37.3333)*(Calsol810-6.93333)	1.8343251	2.173488	0.84	0.4462
(N660-37.3333)*(Parapol1300-6.93333)	-0.568979	2.457816	-0.23	0.8283
(Regal85-74.6667)*(Calsol810-6.93333)	1.3892384	5.020086	0.28	0.7957
(Regal85-74.6667)*(Parapol1300-6.93333)	2.3330606	1.466892	1.59	0.1869
(Calsol810-6.93333)*(Parapol1300-6.93333)	1.5542149	2.033537	0.76	0.4873



Least Squares Fit

Response MV@100C

Actual by Predicted Plot



Summary of Fit

RSquare	0.994311
RSquare Adj	0.98009
Root Mean Square Error	1.94959
Mean of Response	54.86
Observations (or Sum Wgts)	15


Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	2657.3924	265.739	69.9148
Error	4	15.2036	3.801	Prob > F
C. Total	14	2672.5960		0.0005*

Scaled Estimates

Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	58.431657	1.490342	39.21	<.0001*
N660	11.923302	4.82419	2.47	0.0688
Regal85	10.630306	3.727568	2.85	0.0463*
Calsol810	-12.4358	3.976925	-3.13	0.0353*
Parapol1300	-18.61404	2.187077	-8.51	0.0010*
(N660-37.3333)*(Regal85-74.6667)	-3.361981	2.432587	-1.38	0.2391
(N660-37.3333)*(Calsol810-6.93333)	-5.302749	3.450214	-1.54	0.1991
(N660-37.3333)*(Parapol1300-6.93333)	-13.96991	3.901559	-3.58	0.0232*
(Regal85-74.6667)*(Calsol810-6.93333)	-2.963747	7.968931	-0.37	0.7288
(Regal85-74.6667)*(Parapol1300-6.93333)	-20.7048	2.328558	-8.89	0.0009*
(Calsol810-6.93333)*(Parapol1300-6.93333)	6.9559136	3.228056	2.15	0.0975



Prediction Profiler





EXHIBIT 8

Least Squares Fit

Response Permeability

Actual by Predicted Plot



Summary of Fit

RSquare 0.978913
 RSquare Adj 0.926195
 Root Mean Square Error 1.228159
 Mean of Response 24.43989
 Observations (or Sum Wgts) 15

Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	280.08959	28.0090	18.5690
Error	4	6.03350	1.5084	Prob > F
C. Total	14	286.12309		0.0063*

Scaled Estimates


Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	23.57878	0.938852	25.11	<.0001*
N660	-1.150982	3.039034	-0.38	0.7241
Regal85	-3.114396	2.348209	-1.33	0.2554
Calsol810	5.566476	2.505293	2.22	0.0904
Parapol1300	2.5858517	1.377765	1.88	0.1338
(N660-37.3333)*(Regal85-74.6667)	0.0591635	1.532426	0.04	0.9711
(N660-37.3333)*(Calsol810-6.93333)	1.8343251	2.173488	0.84	0.4462
(N660-37.3333)*(Parapol1300-6.93333)	-0.568979	2.457816	-0.23	0.8283
(Regal85-74.6667)*(Calsol810-6.93333)	1.3892384	5.020086	0.28	0.7957
(Regal85-74.6667)*(Parapol1300-6.93333)	2.3330608	1.466892	1.59	0.1869
(Calsol810-6.93333)*(Parapol1300-6.93333)	1.5542149	2.033537	0.76	0.4873

Least Squares Fit

Response: MV@100C

Actual by Predicted Plot



Summary of Fit

RSquare	0.994311
RSquare Adj	0.98009
Root Mean Square Error	1.94959
Mean of Response	54.86
Observations (or Sum Wgts)	15


Analysis of Variance

Source	DF	Sum of Squares	Mean Square	F Ratio
Model	10	2657.3924	265.739	69.9148
Error	4	15.2036	3.801	Prob > F
C. Total	14	2672.5960		0.0005*

Scaled Estimates

Continuous factors centered by mean, scaled by range/2

Term	Scaled Estimate	Std Error	t Ratio	Prob> t
Intercept	58.431657	1.490342	39.21	<.0001*
N660	11.923302	4.82419	2.47	0.0688
Regal85	10.630306	3.727568	2.85	0.0463*
Calsol810	-12.4358	3.976925	-3.13	0.0353*
Parapol1300	-18.61404	2.187077	-8.51	0.0010*
(N660-37.3333)*(Regal85-74.6667)	-3.361981	2.432587	-1.38	0.2391
(N660-37.3333)*(Calsol810-6.93333)	-5.302749	3.450214	-1.54	0.1991
(N660-37.3333)*(Parapol1300-6.93333)	-13.96991	3.901559	-3.58	0.0232*
(Regal85-74.6667)*(Calsol810-6.93333)	-2.963747	7.968931	-0.37	0.7288
(Regal85-74.6667)*(Parapol1300-6.93333)	-20.7048	2.328558	-8.89	0.0009*
(Calsol810-6.93333)*(Parapol1300-6.93333)	6.9559136	3.228056	2.15	0.0975



Prediction Profiler

